


Fig. 2






Fig. 4




Fig. 5





Fig. 6



007691 11000




```


graph TD
    900(( )) --> 902([START  
LOCAL VOICE DIALING  
SUBROUTINE])
    903[/EXTRACTED  
FEATURE  
INFORMATION/] --> 902
    902 --> 904[PERFORM SPEECH  
RECOGNITION  
OPERATION USING  
LOCALLY STORED  
SPEECH RECOGNITION  
MODELS]
    904 --> 906{NAME  
RECOGNIZED?}
    906 -- Y --> 910{DOES  
COMPUTER-TELEPHONE  
CONNECTION  
EXIST?}
    906 -- N --> 908((RETURN  
TO STEP 810  
WITH  
UNSUCCESSFUL  
VOICE DIALING  
INDICATOR))
    910 -- Y --> 914[DIAL TELEPHONE  
NUMBER ASSOCIATED  
WITH RECEIVED NAME]
    910 -- N --> 912[TRANSMIT TELEPHONE  
NUMBER TO BE DIALED &  
CONTACT TELEPHONE  
NUMBER TO CALL  
ESTABLISHMENT DEVICE]
    914 --> 916[DETECT CALL  
COMPLETION]
    912 --> 916
    916 --> 918((RETURN  
TO STEP 810  
WITH  
SUCCESSFUL  
VOICE DIALING  
INDICATOR))

```

Fig. 9

Fig. 9

Fig. 10






Fig. 11

Figure 1




Fig. 12




Fig. 13




Fig. 14